



# Role of Distance Measures in Approximate String Matching Algorithms for Face Recognition System

B. Krishnaveni, S. Sridhar

## ► To cite this version:

B. Krishnaveni, S. Sridhar. Role of Distance Measures in Approximate String Matching Algorithms for Face Recognition System. 3rd International Conference on Computational Intelligence in Data Science (ICCIDS), Feb 2020, Chennai, India. pp.157-169, 10.1007/978-3-030-63467-4\_12 . hal-03434787

**HAL Id: hal-03434787**

**<https://inria.hal.science/hal-03434787>**

Submitted on 18 Nov 2021

**HAL** is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



Distributed under a Creative Commons Attribution 4.0 International License

# Role of Distance Measures in Approximate String Matching Algorithms for Face Recognition System

Krishnaveni B<sup>1</sup> and Sridhar S<sup>2</sup>

<sup>1</sup>Information Science & Technology Department, Anna University, Chennai, India.

<sup>2</sup>Information Science & Technology Department, Anna University, Chennai, India

**Abstract.** This paper is based on the recognition of faces using string matching. The approximate string matching is a method for finding an approximate match of a pattern within a string. Exact matching is impracticable for a larger amount of data as it involves more time. Those issues can be solved by finding an approximate match rather than an exact match. This paper aims to experiment with the performance of approximation string matching approaches using various distance measures such as Edit distance, Longest Common Subsequence (LCSS), Hamming distance, Jaro distance, and Jaro-Winkler distance. The algorithms generate a near-optimal solution to face recognition system with reduced computational complexity. This paper deals with the conversion of face images into strings, matching those image strings by using the approximation string matching algorithm that determines the distance and classifies a face image based on the minimum distance. Experiments have been performed with FEI and ORL face databases for the evaluation of approximation string matching algorithms and the results demonstrate the utility of distance measures for the face recognition system.

**Keywords** Approximate String Matching, Face Recognition, Edit Distance, LCSS, Hamming, and Jaro distance.

## 1 Introduction

Face recognition is the identification or verification of a person's face from a database of different person's faces [1]. Nowadays, face recognition has become a widely used application in mobile phones, and robotics, and security systems. It has also received attention in applications such as surveillance, human-computer interaction, access control, a criminal investigation, border control, and smart cars. Certain applications such as text searching, DNA subsequence searching, and signal processing and object recognition require faster and near-optimal solutions. Face recognition is also one such application that may require a near-optimal and faster solution.

Several face recognition approaches deal with controlled face recognition [2-8], but only a few approaches address the face recognition under uncontrolled conditions include partial occlusion, pose changes, illumination changes, and expression changes [9-11]. Uncontrollable face recognition is a difficult and

challenging task. An efficient face recognition system should address those conditions.

String matching [12] is a high level structural and syntactic technique for finding similarity between two strings. In other words, a string matching algorithm finds the location of a certain pattern in a larger amount of text or string. The applications of string matching include search engines, object recognition, speech recognition, Information retrieval systems, and molecular biology.

An approximation algorithm [13] is designed to solve optimization problems in polynomial time. A method based on approximation yields a near-optimal solution with a guarantee on the solution's quality. An approximation algorithm for string matching [14, 15] is designed for determining strings that match a pattern approximately instead of exactly.

In this paper, the face recognition problem is modeled as the optimization problem since the approximation algorithm tries to find the distances between the test face image and all the database face images and select the minimum of those distances. Thus, the algorithm performs image matching based on the minimum distance obtained which becomes a minimization problem and any minimization or maximization problem is considered as the optimization problem. The overall goal of the work presented in this paper is to handle the challenges in the uncontrolled face recognition with different distance measures using approximation matching algorithms.

The rest of the paper is ordered as follows. Section 2 presents literature work on face recognition techniques, the methodology is described in section 3, the experimental results are discussed in section 4, and the last section gives the conclusion of the paper.


## 2 Related Work

Conventional methods for face recognition such as PCA (principal component analysis)[2, 3], LDA (linear discriminant analysis) [4, 5], ICA (independent component analysis) [6], and HMM [7] perform face recognition under controlled conditions. These methods do not perform well when there are uncontrolled conditions such as lighting, pose, expression variations, and occlusion.


The different approaches that deal with the face recognition under uncontrolled conditions include SRC (Sparse representation-based classification) [20], SRC-MRF (SRC with Markov random fields) [21], HQM (half quadratic with multiplicative form) [22], Virtual samples and SRC based algorithm [23] and GSR (group sparse representation-based) [24]. The computational cost of these sparse representation based approaches is more and require a larger number of training samples. Local feature matching face recognition methods such as metric learned extended robust point set matching [25], dynamic image-to-classwarping for face recognition [26] handles uncontrolled face recognition using local features such as image patches.

The research towards face recognition using string matching is very less. One of the related work is an ensemble string matching [27], performs string-to-string matching for the recognition of faces. The human face profile [28] is another work based on representing a face as a sequence of strings.

The latest research face recognition systems based on deep learning [29-33] are succeeded for controlled face recognition, butnot producing successful results in uncontrolled conditions. The algorithms presented in this paper make use of different string distance measures for performing face recognition and yield a good recognition rate in case of face recognition application.



**Fig.1.**The architecture of the proposed face recognition system



**Fig.2.**Example of a face image and its corresponding string

### 3 Methodology

#### 3.1 Face recognition system model

Fig.1 demonstrates the architecture of the face recognition system. The various phases in the proposed system are feature extraction, clustering, generation of strings, matching test and database faces. In the feature extraction phase, small patches of  $m \times n$  pixels are extracted from database gallery images of size  $p \times q$  pixels. Patches are converted into patch vectors. Here, patch vectors are considered as feature vectors.

In the clustering phase, a clustering algorithm is applied on patch vectors to group related patch vectors to the same cluster. Clustering associates each patch vector with a cluster label. There are several clustering algorithms for clustering the data. In this work, K-means clustering is used. In the generation of string phase, a string for a database image is formed by the sequence of cluster labels assigned to patch vectors of a database image. A test image is also split into a smaller number of patches. Test and database image patch vectors are compared by finding the local distance between them. Cluster label of the database image patch vector \with

minimum local distance is obtained and cluster labels with a minimum local distance taken in sequence produce a string for atest image. String generation algorithm is presented in the previous work [34]. Fig.2 shows a sample face image and its corresponding string which is a sequence of cluster labels assigned to patches of the image, the length of the string is 64 which is equal to the number of patches in that image.

In the matching phase, the approximated string matching algorithm is applied to compute the distance between the test and the database image strings and to classify the test image based on the minimum distance computed. The algorithm performs classification in addition to the matching of face images. Thus, the approximation algorithm using distance measures for face image matching does not require any classifier. Hence the complexity of the system is less.

### 3.2 Approximate string matching algorithm based on Dynamic Edit Distance

This is also known as Levenshtein distance, which counts the number of dissimilarities between two strings [15]. The Edit distance between two strings  $s_1$  and  $s_2$  is  $Ed(s_1, s_2)$ , defined as the least number of operations required to transform  $s_1$  into  $s_2$ . The operations are transformation (substitution), insertion, and deletion.

Two strings  $s_1$ ="appreciate" and  $s_2$ ="approximate", the edit distance between  $s_1$  and  $s_2$  is 3 since it requires 2 substitutions and 1 insertion to transform  $s_1$  into  $s_2$ . This is shown in Fig. 3.




Fig.3.String matching based on edit distance

Edit distance for image matching is computed using the following recurrence relation Eq. 1.

$$ED(i, j) = \begin{cases} i; & \text{if } j = 0 \\ j; & \text{if } i = 0 \\ ED[i-1, j-1], & \text{if } i, j = 0 \text{ and } x_i = y_j \\ \min(ED[i-1, j-1] + 1, ED[i-1, j] + 1, ED[i, j-1] + 1), & \text{if } i \neq j \text{ and } x_i \neq y_j \end{cases} \quad (1)$$

---

#### Algorithm 1. Dynamic EDIT distance for image matching

---

**Input:** Test T and Database D image strings of lengths n, m respectively

**Output:**

Edit\_dist: the edit distance between test and database image;

Set each element in ED to 0

ED [i, 0] = i; ED [0, j] = j;

for i = 1 to n do

for j = 1 to m do

if (T(i-1) == D(j-1))

ED (i,j) = ED(i-1,j-1);

else

```

    ED(i,j) =min{ED(i-1,j-1)+1,ED(i-1,j)+1,ED(i,j-1)+1};
end if
end for
end for
Edit_dist= ED (n,m);
returnEdit_dist;

```

---

In algorithm1, T and D are test and database face image strings. String element of T is compared with the string element of D if matches EDIT distance is set to 0, otherwise, it is set to a minimum of insert, delete, and substitute operation costs. The time complexity of the EDIT distance algorithm is  $O(mn)$ , where  $m$  is a length of database image string and  $n$  is the length of the test image string.

### 3.3 Approximate string matching algorithm based on Dynamic LCSS Distance

It is a measure of similarity between two strings, which is determined by finding common substrings between them [16]. The pattern is said to match a certain string in a string sequence if the pattern has the maximum number of similarities with that string compared to other strings. In the Longest common subsequence algorithm, the goal is to produce their longest common subsequence: the longest sequence of characters that appear left-to-right order in both the strings.

Two string sequences  $s_1=a_1a_2\cdots a_p$  and  $s_2=b_1b_2\cdots b_q$  of lengths  $p$  and  $q$  respectively, The Longest common subsequence problem computes the length of the largest string that is common to two sequences  $s_1$  and  $s_2$ . LCSS for string matching is implemented through dynamic programming. For example,  $X= P Q P R Q N Q P$  and  $Y= Q R R M N Q P R$ . The LCSS of  $X$  and  $Y$  is  $Q R N Q P$  with length 5. Fig. 4 describes this example.

StringX	P	Q	P	R	Q	N	Q	P
StringY	Q	R	R	M	N	Q	P	R

**Fig. 4.**String matching based on LCSS distance

LCSS distance for image matching is computed using the following recurrence relation Eq. 2.

$$LC(i,j) = \begin{cases} 0, & \text{if } i = 0 \text{ or } j = 0 \\ LC[i-1, j-1] + 1, & \text{if } i, j > 0 \text{ and } x_i = y_j \\ \max(LC[i, j], LC[i, j-1], LC[i-1, j]), & \text{if } i, j > 0 \text{ and } x_i \neq y_j \end{cases} \quad (2)$$

#### **Algorithm 2.**Dynamic LCSS for image matching

---

**Input:** Test T and Database D image strings of lengths n, m respectively

**Output:**

LCSS\_dist: the longest common sub sequence distance between test and database images;  
 Set each element in LC to 0  
 LC[:,0] = 0; LC[0,:] = 0;  
 for i = 1 to n do  
   for j = 1 to m do  
 if (T(i-1) == D(j-1))  
 LC(i,j) = LC(i-1,j-1) + 1;  
 else  
 LC(i,j) = max {LC(i-1,j-1), LC(i-1,j), LC(i,j-1)};  
 end if  
 end for  
end for  
LCSS\_dist = LC(n,m);  
return LCSS\_dist;

---

In algorithm2, the String element of T is compared with the string element of D, if they are equal LCSS distance is set to diagonal element cost plus 1, otherwise, it is set to a maximum of up, down, and diagonal element costs. If  $m, n$  are the lengths of database and test image strings, then the complexity of the LCSS algorithm is  $O(mn)$ .

### 3.4 Approximate string matching algorithm based on Hamming Distance

For two similar-length strings  $X$  and  $Y$ , Hamming distance is the number of character positions at which the corresponding characters in strings are different [17]. Hamming distance determines the least number of replacements or the least number of errors required for transforming a string into another string. The main applications of the hamming code include coding theory and error detection/ correction.

For example, given two input strings,  $s_1$  and  $s_2$  Hamming distance is  $Hd(s_1, s_2)$ . If  $s_1 = \text{"mouse"}$  and  $s_2 = \text{"mouth"}$ , then  $Hd(s_1, s_2) = 2$ . The following algorithm is used to calculate the hamming distance between two strings.

#### Algorithm 3. Hamming distance for image matching

---

**Input:** Test T and Database D image strings of equal length n.

**Output:**

Hd\_dist: the Hamming distance between test and database images;  
 i=0; replace\_char=0; //Initialization  
 while (T(i) != '\0')  
   if (T(i) != D(j))  
 replace\_char = replace\_char + 1;  
   i = i + 1;  
 end if  
endwhile  
Hd\_dist = replace\_char;  
return Hd\_dist;

---

In algorithm3, if the test image string element (T (i)) does not match with the database image string element (D (j)), then the hamming distance is set to the substitution operation cost plus 1. The final hamming distance is based on the number of substitutions or replacements. The time complexity of the hamming distance is  $O(n)$ , where  $n$  is the length of the database as well as test image strings.

### 3.5 Approximate string matching algorithm based on Jaro Distance

Jaro similarity measure between two strings is determined based on common characters and character transpositions [18]. The maximum Jaro distance results in more similarity between strings. Jaro distance is a normalized score with value 0 for no match and 1 for the correct match. This distance is computed in two steps; the first is the matching and the second is the transposition.

**Matching.** In this, a score is computed based on the common character occurrences in the strings. The algorithm finds the common characters in two strings within a specified match range around the character's position in the first string with the consideration of unmatched characters in the second string. If  $s_1$  and  $s_2$  are the two strings, then the match range is computed using the following equation.

$$match\_range = \frac{\max(length(s_1), length(s_2))}{2} - 1 \quad (3)$$

**Transposing.** This evaluates the characters in the first string that do not match with the character at the same position in the second string. The transposition score is obtained by dividing this result by 2.

The Jaro distance  $Jaro(i, j)$  between 2 strings  $s_1$  and  $s_2$  is

$$Jaro(i, j) = \begin{cases} 0; & \text{if } m\_c = 0 \\ \frac{1}{2} \left( \frac{m\_c}{n} + \frac{m\_c}{m} + \frac{m\_c - T}{m\_c} \right), & \text{otherwise} \end{cases} \quad (4)$$

Here  $m\_c$  is the total number of matches

$T$  is half of the total transpositions

$n, m$  are the lengths of two strings.

The strings  $s_1$  and  $s_2$  have two characters that match when they are the same and not beyond the match range which is equal to  $\max(n, m)/2 - 1$ .

#### Algorithm 4. Jaro distance for image matching

---

**Input:** Test T and Database D image strings of lengths  $n, m$  respectively

**Output:**

Jaro\_dist: the Jaro distance between test and database image;

Matc=0; trans=0; //Initialization

Dist\_match=(max(n,m)/2)-1

for  $i = 0$  to  $n$  do

$f = \max(1, i - \text{Dist\_match});$

$e = \min(i + \text{Dist\_match} + 1, m)$



```

forj = f to e do
  if(D_matches(j)) continue;
  if (T(i) != D(j)) continue;
  I_matches(i)=1;
  D_matches(j)=1;
  matc++;
  break;
end if
end for
end for
k1=0;
for k = 0 to n do
  if(!I_matches(k)) continue;
  while(!D_matches(k1) k1++);
  if (T(k) != D(k1)) continue;
  I_matches(i)=true;
  D_matches(j)=true;
  trans++;
  k1++;
end if
end for
Jaro_dist = ((matc/n) + (matc/m)+((matc - transposition) /match))/2.0
return Jaro_dist;

```

---


**Jaro-Winkler Distance.** This similarity measure between two strings is based on character transpositions to a degree adjusted upwards for common prefixes[19]. The Winkler's modification to Jaro distance acts as a boost on the matching score based on the comparison of the string prefixes. Jaro-Winkler algorithm yields a matching score between 0.0 and 1.0.

## 4 Experiments and Analysis of Results

The approximation string matching algorithms using distance measures on the face recognition system is evaluated using the face databases such as FEI, and AT&T. Matlab is used for implementing the algorithms. The face databases are stored as mat files. All the experiments were run on a 3.6.5 GHz IntelCore i7 CPU with 16GB RAM.

The Brazilian face database FEI [35] consists of 2800 face images with varied poses and expressions. A subset of this database [36] has cropped and frontal faces of 360x260 pixels size and 200 subjects, each with two frontal face images with two different expressions include neutral and smiling expression. FEI sample images with these expressions are shown in Fig. 5 and Fig.6. AT&T database [37] has a total of 400 images from 40 subjects (10 images in each subject). This database face images have different pose, lighting, and expression changes. Fig.7 represents sample images from the database.

In all the algorithms, a patch size of  $8 \times 8$  pixels is used, the face images are resized to  $64 \times 64$  pixels and the total number of patches in each image 64 and the number of cluster centers (value of K) is chosen to be the nearest value equal to the number of patches in an image. By empirical observation, the number of clusters is fixed to 70 which has given a good performance.



**Fig. 5.** Face images with neutral expression from the FEI database



**Fig. 6.** Face images with smile expression from the FEI database

#### 4.1 Face recognition with FEI database

The approximation algorithms are evaluated with the FEI database of 400 images of 200 subjects, each subject has one neutral expression face and a smile expression face. A gallery set of 200 neutral face images and a testing set of 200 smiling face images are used for performance evaluation. The images are resized to  $64 \times 64$  and divided into patches of size  $8 \times 8$ . The following table describes the comparison between different approximation string matching algorithms and traditional methods Eigen-faces and ICA. The results can conclude that syntactic approaches such as string matching algorithms work well for the face recognition system. All the algorithms except Jaro-Winkler have superior performance over the methods Eigen-faces and ICA. Thus, the approximation string matching algorithms give a better recognition rate than traditional methods for face recognition system.

**Table 1.** Face recognition using the approximation string matching algorithms for the FEI database

<i>Method</i>	<i>No. of gallery images</i>	<i>No. of test images</i>	<i>No. of correct matches</i>	<i>Recognition rate (%)</i>
EDIT	200	200	191	95.5
LCSS	200	200	190	95
Hamming	200	200	192	96
Jaro	200	200	186	93
Jaro-Winkler	200	200	176	88

Eigen-faces	200	200	176	88
ICA	200	200	149	74.5

#### 4.2 Face recognition with AT&T database

The performance of the algorithms is evaluated with the AT&T database, which consists of 400 images of 40 subjects. The first five images of all the subjects are used for the gallery database set and the next five images of the subjects are chosen for the testing set. The comparison of the approximation string matching algorithms and the methods Eigen-faces and ICA is described in Table 2. EDIT distance algorithm exhibits a higher recognition rate than other algorithms. Thus, an approximation string matching algorithm using Edit distance performs better for face recognition applications than all other algorithms. Approximation algorithm using hamming distance performs well for recognizing faces with smile expression, but not yields the same performance for the recognition of faces with different poses, lighting, and expression variations. LCSS, hamming, Jaro, and Jaro-Winkler algorithm's performance is average when compared to the EDIT distance algorithm. Face recognition with the AT&T dataset shows that approximation string matching algorithms outperform traditional methods.



**Fig. 7.** Sample face images of the AT&T database with different expressions, poses, and lighting

**Table 2.** Comparison between the approximation string matching algorithms and traditional methods for AT&T database

<i>Method</i>	<i>No. of gallery images</i>	<i>No. of test images</i>	<i>No. of correct matches</i>	<i>Recognition rate (%)</i>
EDIT	200	200	187	93.5
LCSS	200	200	176	88
Hamming	200	200	178	89
Jaro	200	200	175	87.5
Jaro-Winkler	200	200	168	84
Eigen-faces	200	200	156	78
ICA	200	200	151	75.5

## 5 Conclusion and Future Work

In this work, Face recognition is addressed using approximate string matching algorithms using different distance measures such as EDIT, LCSS, hamming, and Jaro. String sequences for the faces are generated and approximated string-based distance is calculated. The string algorithms find the minimum matching path based on the minimum distance and finally, classifies the input face image. The approximation string matching using edit distance yields better results over the other distance metrics such as LCSS, Hamming, Jaro, and Jaro-Winkler for the face recognition system. This work can be used in security, forensic, and other applications. The work presented in this paper concludes that syntactic string approaches perform well for face recognition applications.

## References

1. Zhao, W., Chellappa, R., Rosenfeld, A., and Phillips, P.: Face recognition: A literature survey. *ACM Computing Surveys* 399–458(2003).
2. Kirby, M., and Sirovich, L.: Application of the Karhunen–Loève procedure for the characterization of the human face. *IEEE Transactions on Pattern Analysis and Machine Intelligence* 12, 103–108(January 1990).
3. M.A. Turk, A.P. Pentland, “Face recognition using eigenfaces,” *Proceedings of the IEEE Conference on CVPR*, pp. 586–591, 1991.
4. Yu, H. and Yang, J.: A Direct LDA Algorithm for High-dimensional Data with Application to Face Recognition. *Pattern Recognition* 34, 2067–2070(2001).
5. Belhumeur, P.N., Hespanha, J.P., Kriegman, D.J.: Eigenfaces vs. fishy faces: recognition using class specific linear projection. *IEEE Transactions on Pattern Analysis and Machine Intelligence* 19, 711–720(July 1997).
6. Bartlett, M. S., Movellan, J. R., and Sejnowski, T. J.: Face recognition by independent component analysis. *IEEE Transactions on Neural Networks* 13, 1450–1464(2002).
7. Miar-Naimi, H., and Davari, P.: A new fast and efficient HMM-based face recognition system using a 7-state HMM along with SVD coefficients. *Iranian Journal of Electrical & Electronic Engineering* 4(Jan.2008).
8. Geng, X., Zhou, Z., and Smith-Miles, K.: Individual Stable Space: An Approach to Face Recognition under Uncontrolled Conditions. *IEEE Trans. Neural Networks*, 19(8), 1354–1368(Aug. 2008).
9. Gaston, J., and Ming, Ji.: Danny Crookes Matching Larger Image Areas for Unconstrained Face Identification. *IEEE Transactions on Cybernetics*, 49(8), 3191–3202(Aug. 2019).
10. Qiangchang, W., and Guodong, G.: LS-CNN: Characterizing Local Patches at Multiple Scales for Face Recognition. *IEEE Transactions on Information Forensics and Security*, 15, 1640–1652(2020).
11. Alhendawi, K. M.A., and Baharudin, S.: String matching algorithms(SMAs): survey & Empirical analysis. *Journal of Computing Science and Management* 2(5), 2637–2644(May 2013).
12. Navarro, G.: A guided tour to approximate string matching. *ACM Computing Surveys* 33(1), 31–88(2001).

13. Ukkonen, E.: Algorithms for approximate string matching. *Information and Control* 64(1-3): 100-118(1985).
14. Williamson, D. P., Shmoys, D. B.: *The Design of Approximation Algorithms*. 1<sup>st</sup> edn. Cambridge University Press, USA (April 26, 2011).
15. Masek, W.J., and Paterson, M.: A faster algorithm computing string edit distances. *J. Comput. Syst. Sci.* 20(1), 18–31(1980).
16. Aho, A. V., Hopcroft, J. E., and Ullman, J. D.: *The Design and Analysis of Computer Algorithms*. Addison-Wesley, Reading, Mass. (1974).
17. Hamming, R.W.: Error detecting and error-correcting codes. *The Bell System Technical Journal* 29(2), 147-160(April 1950).
18. Jaro, M. A.: Advances in record linkage methodology as applied to the 1985 census of Tampa Florida. *Journal of the American Statistical Association* 84(406), 414-420(1989).
19. Winkler, W. E.: Overview of Record Linkage and Current Research Directions (PDF). Research Report Series, RRS. (2006).
20. Wright, J., Yang, A. Y., Ganesh, A., Sastry, S. S., and Ma, Y.: Robust face recognition via sparse representation. *IEEE Transactions on Pattern Analysis and Machine Intelligence* 31(2), 210 – 227(Feb. 2009).
21. Zhou, Z., Wagner, A., Mobahi, H., Wright, J., and Ma, Y.: Face recognition with contiguous occlusion using Markov random fields. *IEEE International Conference Computer Vision (ICCV)* 1, 050 – 1057(Oct. 2009).
22. He, R., Zheng, W. S., Tan, T., and Sun, Z.: Half-quadratic-based iterative minimization for robust sparse representation. *IEEE Trans. Pattern Anal. Mach. Intell.*, 36(2), 261–275(Feb. 2014).
23. Peng, Y., Li, L., Liu, S., Li, J., and Cao, H.: Virtual samples and sparse representation based classification algorithm for face recognition. *IET Comput. Vis.*, 13(2), 172–177(Aug. 2018).
24. Fritz, K., Damiana, L., and Serena, M.: A Robust Group Sparse Representation Variational Method with Applications to Face Recognition. *IEEE Transactions on Image Processing*, 28(6), 2785–2798(June 2019).
25. R. Weng, J. Lu, J. Hu, G. Yang, and Y.P. Tan.: Robust feature set matching for partial face recognition. *Proc. IEEE Int. Conf. Comput. Vis. (ICCV)*, 601–608(Dec. 2013).
26. X. Wei, C.-T. Li, Z. Lei, D. Yi, and S. Z. Li.: Dynamic Image-to-Class Warping for Occluded Face Recognition. *IEEE Transactions on Information Forensics and Security*. 9(12), 2035- 2050(Dec. 2014).
27. Chen, W., Gao, Y.: Face Recognition Using Ensemble String Matching. *IEEE Transactions on Image Processing*, 22 (12), 4798- 4808(Dec. 2013).
28. Gao, Y., and Leung, M. K. H.: Human face profile recognition using attributed string'. *Pattern Recognition* 35(2), 353–360(2002).
29. Schmidhuber J.: Deep learning in neural networks: An overview. *Neural Netw.*, 61, 85–117(Dec. 2013).
30. Mehdipour Ghazi, M., Kemal H., Ekenel.: A comprehensive analysis of deep learning-based representation for face recognition. *Proceedings of the IEEE Conference on Computer Vision and Pattern Recognition Workshops* 34–41(2016).
31. Lu, J, Wang, G, Zhou, J.: Simultaneous feature and dictionary learning for image set based face recognition. *IEEE Trans. Image Process.* 26, 4042–4054, 2017.
32. Hu, G, Peng, X. Y., and Hospedales, Y., Verbeek, T. M., Frankenstein, J.: Learning deep face representations using small data. *IEEE Trans. Image Process.* 27, 293–303(2018).
33. Rawat, W., Wang Z.: Deep Convolutional Neural Networks for Image Classification: A Comprehensive Review. *Neural Computing* 29, 2352–2449(2017).

34. Krishnaveni, B., Sridhar S.: Approximation Algorithm based on Greedy Approach for Face Recognition with Partial Occlusion. *Multimedia Tools and Applications* 78, 27511–27531(2019).
35. E. Z. Tenorio and C. E Thomaz.: Analisemultilinear discriminate deformas frontalis de imagens 2D de face. *Proceedings of the X Simposio Brasileiro de Automacao Inteligente, SBAI, Universidade Federal de Sao Joao del Rei, Sao Joao del Rei, Minas Gerais, Brazil.* 266-271(September 2011).
36. <https://fei.edu.br/~cet/facedatabase.html>.
37. The Database of Faces, AT&T Laboratories Cambridge(2002).  
[Online]. Available: <http://www.cl.cam.ac.uk/research/dtg/attarchive/facedatabase.html>.