



# The effect of feeding silage treated with an inoculum of *Lactobacillus plantarum* on beef production from growing and finishing cattle

Jp Moran, Tr Owen

## ► To cite this version:

Jp Moran, Tr Owen. The effect of feeding silage treated with an inoculum of *Lactobacillus plantarum* on beef production from growing and finishing cattle. *Annales de zootechnie*, 1995, 44 (Suppl1), pp.383-383. hal-00889537

**HAL Id: hal-00889537**

**<https://hal.science/hal-00889537>**

Submitted on 11 May 2020

**HAL** is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

## The effect of feeding silage treated with an inoculum of *Lactobacillus plantarum* on beef production from growing and finishing cattle

JP Moran, TR Owen

ZENECA Bio Products, PO Box 2, Billingham, Cleveland, TS23 1YN, England

The positive effects on fermentation of treating forage with bacterial inoculants has been well documented in the literature (Moran and Owen, Proceedings of the 10th International Conference on Silage Research, Dublin City University, Ireland, Sept 6-8, 1993), however there has been little information published on the effects of these inoculants on animal performance. The purpose of this review is to present a summary of all independent research trials carried out using both growing and finishing beef animals fed untreated and ECOSYL (ECOSUR in France) treated silage. A similar review has recently been published for dairy cow trials (Moran and Owen, Proceedings of the National Conference on Forage Quality, Evaluation, and Utilization, University of Nebraska-Lincoln, USA, April 13-15, 1994).

A total of 19 trials studying the effects on beef production (with both growing and finishing cattle) of feeding ECOSYL treated silage are

presented. Trials are categorised according to the growth stage of the animal i.e. growing and finishing cattle and by crop type using either grass or alfalfa/maize silage. Dry matter intakes and beef production parameters were analysed statistically using analysis of variance Anova procedures (SAS/STAT, release 6.03, 1988, SAS Institute Inc) comparing treatment means as pairs within blocks represented by trials. References and experimental details for all trials are available from the authors on request.

Mean results presented show a trend towards increased silage dry matter intake and a significant ( $P < 0.01$ ) increase in both liveweight and carcass gain for both types of animal regardless of the crop type.

It is concluded that grass, alfalfa or maize silages which had been treated with ECOSYL inoculant gave rise to significant improvements in animal liveweight and carcass gains for both growing and finishing cattle.

	Growing Cattle				Finishing Cattle	
	Grass Silage (n = 5)		Alfalfa and Maize Silage (n = 5)		Grass Silage (n = 9)	
	Silage DM Intake (kg/day)	Liveweight Gain (kg/day)	Silage DM Intake (kg/day)	Liveweight Gain (kg/day)	Silage DM Intake (kg/day)	Carcass Gain (kg/day)
Control	4.51	0.66	7.29	1.06	6.59	0.51
ECOSYL	4.75	0.76	8.17	1.16	6.84	0.56
SEM	0.121	0.010	0.270	0.012	0.100	0.011
P	NS	<0.01	<0.1	<0.01	NS	<0.01